

[E-Learning Portal](#) ▾ | [Resources](#) | [إدماج التعلم الإلكتروني](#) | [أيقونة التعلم الإلكتروني](#) | [Old Moodle](#) ▾ | [FIT-Courses](#) | [Quality](#) ▾ |

My courses (5) ▾



(1_607461) تطوير وبرمجة الألعاب التفاعلية

[Dashboard](#) > [My courses](#) > [607461_1](#) > [Topic 14](#) > [Final \[Theoretical Part 25%\]](#)
[Dashboard](#) [Site home](#) [Calendar](#) [Badges](#) [All courses](#) [Edit course settings](#) [Content bank](#) [Turn editing off](#)

Course management

2ح [202220087 حنين عبدالله علي ابو محفوظ VR&AR](#)**Started on** Monday, 23 June 2025, 10:19 AM**State** Finished**Completed on** Monday, 23 June 2025, 10:47 AM**Time taken** 27 mins 52 secs**Grade** 24.00 out of 25.00 (96%)

Question 1

Correct

Mark 0.50 out of 0.50

What does the abs() function return?

- a. The square of a number
- b. The negative value of a number
- c. The rounded value of a number
- d. The absolute (non-negative) value of a number ✓

The correct answer is: The absolute (non-negative) value of a number

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:20:33	Saved: The absolute (non-negative) value of a number	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 2

Correct

Mark 1.00 out of
1.00

What does the sin() function compute?

- a. The square root of a number
- b. The sine of an angle ✓
- c. The cosine of an angle
- d. The arctangent of a value

The correct answer is: The sine of an angle

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:20:33	Saved: The sine of an angle	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 3

Correct

Mark 1.00 out of
1.00

Which function returns the row number given a row label?

- a. tableRowNumber ✓
- b. tableLabelIndex
- c. tableColNumber
- d. tableRowCount

The correct answer is: tableRowNumber

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:20:33	Saved: tableRowNumber	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 4

Correct

Mark 1.00 out of
1.00

How can you make an actor follow a player across a scene?

- a. Use a Display Text behavior
- b. Use the Control Camera behavior ✓
- c. Use the Stretch wrap setting
- d. Add a Timer to the scene

The correct answer is: Use the Control Camera behavior

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:22:22	Saved: Use the Control Camera behavior	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 5

Correct

Mark 0.50 out of
0.50

Which of the following would affect how fast an actor slows down?

- a. Restitution
- b. Density
- c. Rotation
- d. Friction ✓

The correct answer is: Friction

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:22:22	Saved: Friction	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 6

Correct

Mark 1.00 out of 1.00

What happens if you add more rows to a table using `tableRowCount` in a function?

- a. You must update the function manually
- b. The new rows are automatically considered ✓
- c. Only the old rows are included
- d. The function stops working

The correct answer is: The new rows are automatically considered

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:22:22	Saved: The new rows are automatically considered	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 7

Incorrect

Mark 0.00 out of 1.00

Which option is **not** a valid horizontal/vertical wrap mode in GameSalad?

- a. Stretch
- b. Fixed ✗
- c. Tile
- d. Expand

The correct answer is: Expand

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:23:40	Saved: Fixed	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Incorrect	0.00

Question 8

Correct

Mark 1.00 out of 1.00

What does the "Rule" behavior do?

- a. Defines conditions for running behaviors ✓
- b. Draws new shapes
- c. Controls background images
- d. Creates actor clones

The correct answer is: Defines conditions for running behaviors

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:23:40	Saved: Defines conditions for running behaviors	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 9

Correct

Mark 1.00 out of 1.00

What is the function of a "Behavior" in GameSalad?

- a. Assigns logic and actions to actors ✓
- b. Changes screen resolution
- c. Controls only graphics settings
- d. Stores scores and text values

The correct answer is: Assigns logic and actions to actors

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:23:40	Saved: Assigns logic and actions to actors	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 10

Correct

Mark 1.00 out of 1.00

Which data types can be used in a table column?

- a. Any consistent type per column ✓
- b. Mixed types in the same column
- c. Only text
- d. Only numbers

The correct answer is: Any consistent type per column

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:25:51	Saved: Any consistent type per column	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 11

Correct

Mark 1.00 out of 1.00

Which function limits decimal places but keeps the return type as a number?

- a. precision()
- b. padReal()
- c. roundTo() ✓
- d. floor()

The correct answer is: roundTo()

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:25:51	Saved: roundTo()	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 12

Correct

Mark 0.50 out of
0.50

Which function can you use to make an actor disappear based on distance?

- a. `magnitude() + alpha set to 0` ✓
- b. `sin() + constrain attribute`
- c. `log10() + vectorToAngle()`
- d. `magnitude() + padReal()`

The correct answer is: `magnitude() + alpha set to 0`

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:25:51	Saved: <code>magnitude() + padReal()</code>	Answer saved	
3	23/06/25, 10:41:33	Saved: <code>magnitude() + alpha set to 0</code>	Answer saved	
4	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 13

Correct

Mark 0.50 out of 0.50

What behavior is used to restart the current level in GameSalad?

- a. Change Scene
- b. Reset Scene ✓
- c. Reset Game
- d. Interpolate

The correct answer is: Reset Scene

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:28:34	Saved: Reset Scene	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 14

Correct

Mark 0.50 out of 0.50

Which attribute cannot store negative numbers?

- a. Integer
- b. Index ✓
- c. Real
- d. Angle

The correct answer is: Index

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:28:34	Saved: Index	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 15

Correct

Mark 1.00 out of 1.00

What setting makes an actor invisible during gameplay?

- a. Reduce size to 0
- b. Uncheck collision
- c. Set its color to white
- d. Set alpha to 0 ✓

The correct answer is: Set alpha to 0

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:28:34	Saved: Set alpha to 0	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 16

Correct

Mark 1.00 out of 1.00

Which function calculates the arccosine of a value?

- a. `acos()` ✓
- b. `asin()`
- c. `cos()`
- d. `atan()`

The correct answer is: `acos()`

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:30:28	Saved: <code>acos()</code>	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 17

Correct

Mark 1.00 out of 1.00

What does the "Change Attribute" behavior do?

- a. Permanently deletes an actor
- b. Alters a variable's value ✓
- c. Displays animation frames
- d. Adjusts platform size

The correct answer is: Alters a variable's value

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:30:28	Saved: Alters a variable's value	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 18

Correct

Mark 0.50 out of 0.50

What does random(1,5) return?

- a. Any number between 1 and 5 inclusive ✓
- b. A floating number between 1 and 5
- c. Only 1
- d. Only even numbers

The correct answer is: Any number between 1 and 5 inclusive

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:30:28	Saved: Any number between 1 and 5 inclusive	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 19

Correct

Mark 1.00 out of
1.00

What is the purpose of a Boolean attribute?

- a. To set color
- b. To represent true/false logic ✓
- c. To define angles
- d. To store text values

The correct answer is: To represent true/false logic

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:31:19	Saved: To represent true/false logic	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 20

Correct

Mark 1.00 out of
1.00

What is the result of `ceil(-3.5)`?

- a. -3 ✓
- b. -4
- c. 4
- d. 3

The correct answer is: -3

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:31:19	Saved: -3	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 21

Correct

Mark 1.00 out of 1.00

What does the "Constrain Attribute" behavior do?

- a. Destroys the actor
- b. Keeps one attribute updated based on another ✓
- c. Moves actor to a new position
- d. Changes an image

The correct answer is: Keeps one attribute updated based on another

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:31:19	Saved: Keeps one attribute updated based on another	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 22

Correct

Mark 1.00 out of 1.00

If ``game.distance < 200``, what can be triggered for the enemy actor?

- a. Interpolate Y position only
- b. Destroy behavior
- c. Fade behavior
- d. Move To behavior to chase hero ✓

The correct answer is: Move To behavior to chase hero

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:35:29	Saved: Move To behavior to chase hero	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 23

Correct

Mark 0.50 out of 0.50

What is the result of floor(1.5)?

- a. 0
- b. 2
- c. -1
- d. 1 ✓

The correct answer is: 1

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:35:29	Saved: 1	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 24

Correct

Mark 1.00 out of 1.00

What happens when you use the random function with tableCellValue?

- a. Shuffles the column data
- b. Replaces the table with new data
- c. Randomly selects a row number ✓
- d. Returns all rows at once

The correct answer is: Randomly selects a row number

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:35:29	Saved: Randomly selects a row number	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 25

Correct

Mark 1.00 out of 1.00

What does round(3.7) return?

- a. 4 ✓
- b. 5
- c. 3
- d. 7

The correct answer is: 4

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:38:24	Saved: 4	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 26

Correct

Mark 0.50 out of 0.50

What is the purpose of the padInt() function?

- a. Format a floating number with padding
- b. Convert a float to integer
- c. Display an integer with a fixed number of digits ✓
- d. Round a number to nearest integer

The correct answer is: Display an integer with a fixed number of digits

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:38:24	Saved: Display an integer with a fixed number of digits	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	0.50

Question 27

Correct

Mark 1.00 out of 1.00

Which function returns the sum of numeric values in a column over a row range?

- a. tableCellValue
- b. tableColSum ✓
- c. tableRowCount
- d. tableColNumber

The correct answer is: tableColSum

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:38:24	Saved: tableColSum	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 28

Correct

Mark 1.00 out of 1.00

Which attribute type should you use to store a score?

- a. Boolean
- b. Text
- c. Real
- d. Integer ✓

The correct answer is: Integer

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:38:58	Saved: Integer	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

Question 29

Correct

Mark 1.00 out of
1.00What happens when you use `roundTo(0.12365, 3)`?

- a. 0.123
- b. 0.124 ✓
- c. 0.125
- d. 0.120

The correct answer is: 0.124

Response history

Step	Time	Action	State	Marks
1	23/06/25, 10:19:34	Started	Not yet answered	
2	23/06/25, 10:38:58	Saved: 0.124	Answer saved	
3	23/06/25, 10:47:26	Attempt finished	Correct	1.00

◀ Final Practical Question (...)

Jump to...