

Quiz name	Course nan	Open the q	Close the q	Open for	Number of	Total numt	Average gr:	Average gr:
Final Theor	الرسوم بالحاسر	Wednesday	Wednesday	1 hour 30 r	8	8	69.50%	69.50%
Q#	Question t	Question n	Attempts	Facility indi	Standard d	Random gu	Intended w	Effective w
1	Select miss	The amoun	8	87.50%	35.36%	25.00%	4.00%	
2	Multiple ch	_____	8	62.50%	51.75%	25.00%	4.00%	10.54%
3	Multiple ch	_____	8	75.00%	46.29%	25.00%	4.00%	9.89%
4	Multiple ch	_____	8	87.50%	35.36%	25.00%	4.00%	6.99%
5	Multiple ch	_____	8	0.00%	0.00%	25.00%	4.00%	0.00%
6	Multiple ch	_____	8	62.50%	51.75%	25.00%	4.00%	12.11%
7	Multiple ch	_____	8	62.50%	51.75%	25.00%	4.00%	6.32%
8	Multiple ch	_____	8	75.00%	46.29%	25.00%	4.00%	
9	Multiple ch	How many	8	0.00%	0.00%	25.00%	4.00%	0.00%
10	Multiple ch	How many	8	25.00%	46.29%	25.00%	4.00%	2.98%
11	Multiple ch	How many	8	25.00%	46.29%	25.00%	4.00%	6.66%
12	Multiple ch	To use a m	8	87.50%	35.36%	25.00%	4.00%	6.99%
13	Multiple ch	What does	8	100.00%	0.00%	25.00%	4.00%	0.00%
14	Multiple ch	What is a p	8	100.00%	0.00%	25.00%	4.00%	0.00%
15	Multiple ch	What is gL	8	100.00%	0.00%	25.00%	4.00%	0.00%
16	Multiple ch	What is the	8	100.00%	0.00%	25.00%	4.00%	0.00%
17	Multiple ch	What is the	8	62.50%	51.75%	25.00%	4.00%	10.54%
18	Multiple ch	Which func	8	100.00%	0.00%	25.00%	4.00%	0.00%
19	Multiple ch	Which func	8	100.00%	0.00%	25.00%	4.00%	0.00%
20	Multiple ch	Which hea	8	37.50%	51.75%	25.00%	4.00%	10.11%
21	Multiple ch	Which of th	8	87.50%	35.36%	25.00%	4.00%	6.99%
22	Multiple ch	Which of th	8	75.00%	46.29%	25.00%	4.00%	9.89%
23	Multiple ch	Which of th	8	25.00%	46.29%	25.00%	4.00%	
24	Multiple ch	Which Ope	8	100.00%	0.00%	25.00%	4.00%	0.00%
25	Multiple ch	Which sym	8	100.00%	0.00%	25.00%	4.00%	0.00%

<!DOCTYPE html>

<html dir="ltr" lang="en" xml:lang="en">

<head>

<title>Error</title>

 <link rel="shortcut icon" href="//lms.uop.edu.jo/moodle/pluginfile.php/1/theme_mb2cg/favicon/175" />

<meta initial-scale=1.0">

 <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta nam Error" />

<link rel="stylesheet" type="text/css" href="https://lms.uop.edu.jo/moodle/theme/yui_combo.php?ro

<link rel="stylesheet" type="text/css" href="https://lms.uop.edu.jo/moodle/theme/mb2cg/assets/pe-ic

<link rel="stylesheet" type="text/css" href="https://lms.uop.edu.jo/moodle/theme/mb2cg/assets/boot

<link rel="stylesheet" type="text/css" href="https://lms.uop.edu.jo/moodle/theme/mb2cg/assets/Owl

<script>

//<![CDATA[

var M = {}; M.yui = {};

M.pageloadstarttime = new Date();

M.cfg = {"w homepageurl:{" sesskey:"H sessiontim sessiontim themerev:' slashargum theme:"mk iconsystem

var yui2Cor").split('-') component module=pa min='-min';if(/-(skin|core)\$/.test(me.name)){parts.pop();

if(module){var filename=parts.join('-');me.path=component+'/' +module+'/' +filename+min+'.' +me.type}

YUI_config base:"http: comboBase combine:tr filter:null insertBefor groups:{"yui comboBase combine:tr

M.yui.loader = {modules: {}};

```
//]]>
</script>

<style>
.forgetpass { display: none; }
#login_forgot_password { display: none !important; }
</style>

<html translate="no">
</head>
<body id="page-mod-quiz-report" class="format-ilos_topics path-mod path-mod-quiz chrome dir-ltr la
<div>
  <a class="sr-only sr-only-focusable" href="#maincontent">Skip to main content</a>
</div><script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/lib/polyfills/polyfill.js"
<script src="https://lms.uop.edu.jo/moodle/theme/yui_combo.php?rollup/3.18.1/yui-moodlesimple-r
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/lib/javascript-static.js"></s
<script>
//
document.body.className += ' jsenabled';
//]]&gt;
&lt;/script&gt;

&lt;div id="page-outer"&gt;
&lt;div id="page"&gt;
&lt;div id="page-a"&gt;
  &lt;div id="main-header"&gt;
    &lt;div class="container-fluid"&gt;
      &lt;div class="row"&gt;
        &lt;div class="col-md-12"&gt;
          &lt;div class="main-logo" style="width:250px;"&gt;
            &lt;a href="https://lms.uop.edu.jo/moodle" title="LMS"&gt;
              &lt;img src="//lms.uop.edu.jo/moodle/pluginfile.php/1/theme_mb2cg/logo/1750653988/moodle_new19
            &lt;/a&gt;
          &lt;/div&gt;
          &lt;div class="mobile-nav"&gt;&lt;a class="menu-bar show-menu" href="#" title="Menu"&gt;&lt;i c

&lt;div class="header-content" style="margin-top:7px;"&gt;
&lt;div class="header-content-b clearfix"&gt;
&lt;div class="theme-loginform"&gt;&lt;button type="button" class="btn btn-primary login-open"&gt;&lt;i class="fa f

  &lt;div class="menubar d-flex " id="action-menu-0-menubar"&gt;

    &lt;div class="action-menu-trigger"&gt;
      &lt;div class="dropdown"&gt;
        &lt;a href="#" tabindex="0" class="nav-link dropdown-toggle icon-no-margin" id="action-me

          &lt;span class="userbutton"&gt;&lt;span class="usertext mr-1"&gt;جمال ساي شاهين زراقو&lt;/span&gt;&lt;/span&gt;</pre></div>
```

```
    <b class="caret"></b>
  </a>
  <div class="dropdown-menu menu dropdown-menu-right" id="action-menu-0-menu" d
moodle" tabindex="-1" aria-labelledby="actionmenuaction-1">
    <span class="menu-action-text" id="actionmenuaction-1">Profile</span>
  </a>
  <div class="dropdown-divider" role="presentation"><span class="filler">&nbsp;</span></di
grades" tabindex="-1" aria-labelledby="actionmenuaction-2">
    <span class="menu-action-text" id="actionmenuaction-2">Grades</span>
  </a>
  core_calendar" tabindex="-1" aria-labelledby="actionmenuaction-3">
    <span class="menu-action-text" id="actionmenuaction-3">Calendar</span>
  </a>
  moodle" tabindex="-1" aria-labelledby="actionmenuaction-4">
    <span class="menu-action-text" id="actionmenuaction-4">Private files</span>
  </a>
  core_reportbuilder" tabindex="-1" aria-labelledby="actionmenuaction-5">
    <span class="menu-action-text" id="actionmenuaction-5">Reports</span>
  </a>
  <div class="dropdown-divider" role="presentation"><span class="filler">&nbsp;</span></di
moodle" tabindex="-1" aria-labelledby="actionmenuaction-6">
    <span class="menu-action-text" id="actionmenuaction-6">Preferences</span>
  </a>
  moodle" tabindex="-1" aria-labelledby="actionmenuaction-7">
    <span class="menu-action-text" id="actionmenuaction-7">Switch role to...</span>
  </a>
  <div class="dropdown-divider" role="presentation"><span class="filler">&nbsp;</span></di
moodle" tabindex="-1" aria-labelledby="actionmenuaction-8">
    <span class="menu-action-text" id="actionmenuaction-8">Log out</span>
  </a>
</div>
</div>
</div>
```

```
</div>
```

```
</div></div><a href="https://lms.uop.edu.jo/moodle/user/view.php?id=133&course=1213" class="
```

```
<div class="theme-plugins">
```

```
</div>
```

```
<ul class="languages-list"><li class="lang-item dropdown"><a href="https://lms.uop.edu.jo/
```

```
<a class="header-tools-toggle btn btn-secondary btn-full" href="#"><i class="fa fa-angle-down"></i></a>
```

```
</div>
```

```
<div class="mb2notices"></div> <div class="sticky-nav-element-offset"></div>
```

```
<div id="main-navigation">
```

```
<div class="main-navigation-inner">
```

```

<div class="container-fluid menu-container">
  <div class="row">
    <div class="col-md-12">
      <a class="menu-bar show-menu" href="#" title="Menu"><i class="fa fa-bars"></i>Menu
    </div>
  </div>
  <div class="theme-searchform"><button type="button" aria-label="Close" class="search-close
</div>
  <div id="after-header">
<div class="container-fluid">
  <div class="row">
    <div class="col-md-12">
<aside id="block-region-after-header" class="after-header style-none theme-hidden-region block-region
  </div>
</div>
</div>
</div><!-- //end #page-a -->
<div id="page-b">
<div class="theme-cbanner noimage"><div class="cbanner-title"><div class="container-fluid"><div class
<div class="inner">
  <div class="container-fluid">
    <div class="row">
      <div class="col-md-12">
        <div class="breadcrumb"><nav aria-label="Navigation bar">
<ol class="breadcrumb">
  <li class="breadcrumb-item">
    <a href="https://lms.uop.edu.jo/moodle/my/" >Dashboard</a>
  </li>

  <li class="breadcrumb-item">
    <a href="https://lms.uop.edu.jo/moodle/my/courses.php" >My courses</a>
  </li>

  <li class="breadcrumb-item">
    <a href="https://lms.uop.edu.jo/moodle/course/view.php?id=1213" title="1_607471">( 1_
  </li>

  <li class="breadcrumb-item">
    <a href="https://lms.uop.edu.jo/moodle/course/view.php?id=1213#section-4" >Topic 4</a>
  </li>

  <li class="breadcrumb-item dimmed_text">
    <a href="https://lms.uop.edu.jo/moodle/mod/quiz/view.php?id=27793" title="Quiz">Final
  </li>

  <li class="breadcrumb-item">
    <a href="https://lms.uop.edu.jo/moodle/mod/quiz/report.php?id=27793&mode=over
  </li>

  <li class="breadcrumb-item">

```

```

        <a href="https://lms.uop.edu.jo/moodle/mod/quiz/report.php?id=27793&mode=stati
    </li>
</ol>
</nav></div>
</div>
</div>
</div>
</div>
</div>
<div id="site-menu">
<div class="container-fluid">
    <div class="row">
        <div class="col-md-12" style="min-height:0;">
            <ul class="site-menu-list"><li class="item-dashboard"><a href="https://lms.uop.edu.jo/moodle/r
        </div>
    </div>
</div>
<div class="mb2notices"></div><div id="main-content">
    <div class="container-fluid">
        <div class="row">
            <div id="region-main" class="content-col col-md-9">
                <div id="page-content">
<div class="panel-link teacherbtn" data-toggle="modal" data-target="#course-panel"><span class="pani
    <form method="get" action="https://lms.uop.edu.jo/moodle/mod/quiz/report.php" >
        <input type="hidden" name="id" value="27793">
        <input type="hidden" name="mode" value="statistics">
        <button type="submit" class="btn btn-primary"
            id="single_button685940b8ca56672"

            >Continue</button>
    </form>
</div></div>
    <div id="block-region-content-bottom" class="content-bottom styl
    <div class="sidebar-col col-md-3">
        <aside id="block-region-side-pre" class="side-pre style-default block-region" data-blockregion=

<section id="inst10"
    class=" block_settings block block_with_controls card mb-3"
    role="navigation"
    data-block="settings"
    data-instance-id="10"
    aria-labelledby="instance-10-header"
    >
<div class="card-body p-3">
    <h5 id="instance-10-header" class="card-title d-inline">Administration</h5>
    <div class="block-controls float-right header">
        <div class="action-menu moodle-actionmenu block-control-actions commands" id="action-me

```

```
<div class="menubar d-flex " id="action-menu-3-menubar">
```

```
    <div class="action-menu-item">
```

```
    <a href="https://lms.uop.edu.jo/moodle/?sesskey=HnRPr3hneR&bui_moveid=10" class="aabtn
      <i class="icon fa fa-arrows-v fa-fw " title="Move Administration block" role="img" aria-label="M
    </a>
```

```
  </div>
```

```
  <div class="action-menu-trigger">
```

```
    <div class="dropdown">
```

```
      <a href="#" tabindex="0" class=" dropdown-toggle icon-no-margin" id="action-menu-togg
```

```
    <i class="icon fa fa-cog fa-fw " title="Actions menu" role="img" aria-label="Actions menu"></i>
```

```
    </a>
```

```
      <div class="dropdown-menu menu dropdown-menu-right" id="action-menu-3-menu" d
```

```
        <a href="https://lms.uop.edu.jo/moodle/?bui_editid=10" class="dr
```

```
          <i class="icon fa fa-cog fa-fw " title="Configure Administration block" role="img" aria
```

```
          <span class="menu-action-text" id="actionmenuaction-10">Configure Administration
```

```
        </a>
```

```
      </div>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
  </div>
```

```
  <div class="card-text content mt-3">
```

```
    <div id="settingsnav" class="box py-3 block_tree_box"><ul class="block_tree list" role="tree" da
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
    <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item h
```

```
<li class="type_container depth_2 contains_branch" tabindex="-1" role="treeitem" aria-expanded="false">
  <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
    <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
      <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
        <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
          <li class="type_setting depth_2 contains_branch" tabindex="-1" role="treeitem" aria-expanded="true">
            <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
              <li class="type_setting depth_3 item_with_icon current_branch" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                  <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                    <li class="type_course depth_1 contains_branch" tabindex="-1" role="treeitem" aria-expanded="false">
                      <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                        <li class="type_container depth_2 contains_branch" tabindex="-1" role="treeitem" aria-expanded="false">
                          <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                            <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                              <li class="type_setting depth_3 contains_branch" tabindex="-1" role="treeitem" aria-expanded="false">
                                <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                  <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                    <li class="type_container depth_2 contains_branch" tabindex="-1" role="treeitem" aria-expanded="false">
                                      <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                        <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                          <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                            <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                              <li class="type_container depth_2 contains_branch" tabindex="-1" role="treeitem" aria-expanded="false">
                                                <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                                  <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                                    <li class="type_setting depth_3 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                                      <li class="type_setting depth_2 item_with_icon" tabindex="-1" role="treeitem"><p class="tree_item has_children">
                                                        <div class="footer"></div>

```

```
</div>
```

```
</div>
```

```
</section>
```

```
<span id="sb-1"></span><a href="#sb-2" class="sr-only sr-only-focusable">Skip Add a block</a>
```

```
<section id="block-685940b8dec97"
  class="block block_adminblock card mb-3"
  role="complementary">
```

```
data-block="adminblock"
data-instance-id="fakeid-685940b8dec98"
  aria-labelledby="instance-fakeid-685940b8dec98-header"
>
```

```
<div class="card-body p-3">
```

```
  <h5 id="instance-fakeid-685940b8dec98-header" class="card-title d-inline">Add a block</h5>
```

```
  <div class="card-text content mt-3">
```

```
    <div class="singleselect d-inline-block">
```

```
  <form method="get" action="https://lms.uop.edu.jo/moodle/" class="form-inline" id="add_block">
```

```
    <input type="hidden" name="sesskey" value="HnRPr3hneR">
```

```
    <label for="single_select685940b8ca56661" class="accesshide">
```

```
      Add a block
```

```
    </label>
```

```
  <select id="single_select685940b8ca56661" class="custom-select singleselect" name="bui_addblo
```

```
    >
```

```
      <option data-ignore value="" selected>Add...</option>
```

```
      <option value="activity_results" >Activity results</option>
```

```
      <option value="blog_menu" >Blog menu</option>
```

```
      <option value="blog_tags" >Blog tags</option>
```

```
      <option value="comments" >Comments</option>
```

```
      <option value="myprofile" >Logged in user</option>
```

```
      <option value="mb2azcourses" >Mb2 A-Z Courses</option>
```

```
      <option value="mb2content" >Mb2 Content</option>
```

```
      <option value="mentees" >Mentees</option>
```

```
      <option value="private_files" >Private files</option>
```

```
      <option value="recent_activity" >Recent activity</option>
```

```
      <option value="blog_recent" >Recent blog entries</option>
```

```
      <option value="tags" >Tags</option>
```

```
      <option value="html" >Text</option>
```

```
  </select>
```

```
  <noscript>
```

```
    <input type="submit" class="btn btn-secondary ml-1" value="Go">
```

```
  </noscript>
```

```
</form>
```

```
</div>
```

```
  <div class="footer"></div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<span id="sb-2"></span></aside> </div>
```

```
  </div>
```

```
</div>
```

```

</div>
<div id="before-footer" class="theme-section light">
  <div class="section-inner">
    <div class="container-fluid">
      <div class="row">
        <div class="theme-col col-md-6">
          <div class="col-inner before-footer-a style-none theme-hidden-region" style="padding-top
            <aside id="block-region-before-footer-a" class="block-region" data-blockregion="before
          </div>
          <div class="theme-col col-md-6">
            <div class="col-inner before-footer-b style-none theme-hidden-region" style="padding-top
            <aside id="block-region-before-footer-b" class="block-region" data-blockregion="before
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="mb2notices"></div><div id="footer-abcd" class="dark1">
<div class="container-fluid">
<div class="row">
  <div class="col-md-3">
<aside id="block-region-footer-a" class="footer-a style-bottom theme-hidden-region block-region" data-
  <div class="col-md-3">
<aside id="block-region-footer-b" class="footer-b style-bottom theme-hidden-region block-region" data
  <div class="col-md-3">
<aside id="block-region-footer-c" class="footer-c style-bottom theme-hidden-region block-region" data-
  <div class="col-md-3">
<aside id="block-region-footer-d" class="footer-d style-bottom theme-hidden-region block-region" data
  </div>
</div>
</div>
<div id="footer" class="dark1">
<div class="container-fluid">
  <div class="row">
    <div class="col-md-12">
      <div class="footer-content clearfix">
<p class="footer-text">Copyright © PUeLC. 2024-2025 All rights reserved.</p>
      <div class="footer-el">
        <ul class="social-list"><li class="li-facebook"><a href="https://web.facebook.com/pufi
        </div>
        <div class="footer-tools">
          <div class="logininfo">You are logged in as <a href="https://lms.uop.edu.j
        </div>
      </div>
<div class="tool_dataprivacy"><a href="https://lms.uop.edu.jo/moodle/admin/tool/dataprivacy/summ
    </div>
  </div>
</div>
</div>
<div id="after-footer" class="theme-section light">

```

```

<div class="section-inner">
  <div class="container-fluid">
    <div class="row">
      <div class="theme-col col-md-6">
        <div class="col-inner after-footer-a style-none theme-hidden-region" style="padding-top:4">
          <aside id="block-region-after-footer-a" class="block-region" data-blockregion="after-foo">
          </div>
        <div class="theme-col col-md-6">
          <div class="col-inner after-footer-b style-none theme-hidden-region" style="padding-top:4">
            <aside id="block-region-after-footer-b" class="block-region" data-blockregion="after-foc">
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div><!-- //end #page-b -->
</div><!-- //end #page -->
</div><!-- //end #page-outer -->
<div class="fixed-bar">
  <a class="fixed-panel-link teacherbtn" href="#" data-toggle="modal" data-target="#course-panel" title="
  <div class="modal fade" id="course-panel" role="dialog" aria-labelledby="course-panel-label">
    <div class="modal-dialog modal-lg" role="document">
      <div class="modal-content">
        <div class="modal-header">
          <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-hidden="
          <h4 class="modal-title" id="course-panel-label">Course management: 1_607471 ) وب للواقع الافتراضي
        </div>
        <div class="course-panel-content">
          <div class="teacher-panel">
            <div class="container-fluid">
              <div class="row">
                <div class="col-md-3"><div class="box box-activities"><h3><i class="fa fa-cogs"></i>
                <div class="col-md-3"><div class="box box-modulnav"><h3><i class="fa fa-cogs"></i>
                <div class="col-md-3"><div class="box box-course_settings"><h3><i class="fa fa-book"></i>
                <div class="col-md-3"><div class="box box-students"><h3><i class="fa fa-graduation-
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
<div class="php2js" data-scp="/moodle/"></div><script>
//<![CDATA[
var require = {
  baseUrl : 'https://lms.uop.edu.jo/moodle/lib/requirejs.php/1750653988/'
  // We only support AMD modules with an explicit define() statement.
  enforceDefine: true
  skipDataMain: true

```

waitSeconds : 0

```
paths: {
  jquery: 'https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/lib/jquery/jquery-3.6.4.min.js',
  jqueryui: 'https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/lib/jquery/ui-1.13.2/jquery-ui.min.js',
  jqueryprivate: 'https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/lib/requirejs/jquery'
}
```

// Custom jquery config map.

```
map: {
  // '*' means all modules will get 'jqueryprivate'
  // for their 'jquery' dependency.
  '*': { jquery: 'jqueryprivate' }
  // Stub module for 'process'. This is a workaround for a bug in MathJax (see MDL-60458).
  '*': { process: 'core/first' }
}
```

```
// 'jquery-private' wants the real jQuery module
// though there would
// be an unresolvable cyclic dependency.
jqueryprivate: { jquery: 'jquery' }
}
```

};

//]]>

</script>

<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/lib/requirejs/require.min.js">

<script>

//</p></div><div data-bbox="84 547 323 563" data-label="Text"><p>M.util.js_pending("core/first");</p></div><div data-bbox="84 564 267 580" data-label="Text"><p>require(['cc function() {</p></div><div data-bbox="84 581 280 598" data-label="Text"><p>require(['core/prefetch'])</p></div><div data-bbox="85 601 97 616" data-label="Text"><p>;</p></div><div data-bbox="84 616 314 632" data-label="Text"><p>require(["r function(loader) {</p></div><div data-bbox="101 633 248 649" data-label="Text"><p>loader.setUp('en');</p></div><div data-bbox="84 650 113 666" data-label="Text"><p>});</p></div><div data-bbox="84 667 343 684" data-label="Text"><p>require(['theme_boost/loader']);</p></div><div data-bbox="84 685 712 701" data-label="Text"><p>M.util.js_pending('core/first'); M.util.js_complete('block_settings/settingsblock');});</p></div><div data-bbox="84 719 479 735" data-label="Text"><p>require(['jq 'core/custom function(\$ CustomEvents) {</p></div><div data-bbox="101 736 503 752" data-label="Text"><p>CustomE [CustomEvents.events.accessibleChange]);</p></div><div data-bbox="101 753 267 770" data-label="Text"><p>\$('#single function() {</p></div><div data-bbox="117 770 532 787" data-label="Text"><p>var ignore = \$(this).find(':selected').attr('data-ignore');</p></div><div data-bbox="117 787 428 804" data-label="Text"><p>if (typeof ignore === typeof undefined) {</p></div><div data-bbox="134 804 330 821" data-label="Text"><p>\$('#add_block').submit();</p></div><div data-bbox="118 822 133 838" data-label="Text"><p>}</p></div><div data-bbox="101 839 125 856" data-label="Text"><p>});</p></div><div data-bbox="84 856 107 873" data-label="Text"><p>});</p></div><div data-bbox="85 875 97 891" data-label="Text"><p>;</p></div><div data-bbox="84 891 875 908" data-label="Text"><p>M.util.js_pending('core/first'); M.util.js_complete('core/first');</p></div><div data-bbox="84 908 609 925" data-label="Text"><p>M.util.js_pending('core/first'); M.util.js_complete('core/notification');});</p></div>

```

M.util.js_pr function(amd) {amd.setConfig({"level":"warn"}); M.util.js_complete('core/log');});
M.util.js_pr function(amd) {amd.init(); M.util.js_complete('core/page_global');});
M.util.js_pr function(amd) {M.util.js_complete('core/utility');});
    M.util.js_complete("core/first");
});
//]]>
</script>
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/assets/supe
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/assets/light
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/assets/Owl
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/assets/invie
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/assets/anir
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/assets/js.co
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/javascript/t
<script src="https://lms.uop.edu.jo/moodle/lib/javascript.php/1750653988/theme/mb2cg/assets/yout
<script>
//<![CDATA[
M.str = {"r name:"Nan error:"Erro info:"Inforr yes:"Yes" no:"No" cancel:"Car moveconte tocontent:'
//]]>
</script>
<script>
//<![CDATA[
var mb2cgj lesstext:"Sl collapseall: expandall:"Expand all";
//]]>
</script>
<script>
//<![CDATA[
(function() function() { \"Safe.js\" \\n errorSi \\n skipSta \\n messa; lang:"en"});
});
M.util.help_popups.setup(Y);
Y.on('domr function() function() { after-head; content-to; content-bo adminblocl before-foo; before-foo;
}); });
M.util.js_p function() { M.util.js_complete("init"); M.util.js_complete('random685940b8ca56673'); });
})();
//]]>
</script>
</body>
</html>

```

Average gr: 69.50% Average gr: 69.50% Median gr: 66.00% Standard d: 6.74% Score distri: 0.6457 Score distri: -1.6786 Coefficient: -10.48% Error ratio: 105.11% Standard ei: 7.08%

Discriminat: Discriminative efficiency

-54.55% -166.67%

23.19% 29.41%

25.62% 38.46%

12.60% 33.33%

44.72% 69.23%

-12.40% -17.65%

-45.95% -84.62%

-22.34% -26.32%

-4.70% -6.67%

12.60% 33.33%

23.19% 29.41%

18.26% 20.00%

12.60% 33.33%

25.62% 38.46%

-66.94% -89.47%

0653988/favicon.ico" />

```
llup/3.18.1/yui-moodlesimple-min.css" /><script id="firstthemesheet" type="text/css">/** Required in  
con-7-stroke/css/pe-icon-7-stroke.min.css" />  
tstrap/css/glyphicons.min.css" />  
Carousel/assets/owl.carousel.min.css" />
```

```
jsrev:"175C admin:"adr svgicons:tr usertimezo courseId:1: courseCont contextid:6 contextInst langrev:17!  
me.type='css';min='')  
else{me.path=component+'/' + component+'.' + me.type}};  
ext:false    root:"2in3\ patterns:{" configFn:yui moodle:{"n base:"http: combine:tr comboBase ext:false
```


1'
:ry-ui.min'
'-private'

;"></script>

⌘_block/edit'))}};

```
erfish/superfish.custom.js"></script>
slider/lightslider.custom.min.js"></script>
Carousel/owl.carousel.min.js"></script>
ow.js"></script>
rateNumber.js"></script>
okie.js"></script>
heme.js"></script>
:ube/player_api.js"></script>
```

emptydrag morehelp:"loadinghelç confirm:"C areyousure closebuttoi unknownei file:"File" url:"URL"

after-foote after-foote footer-a footer-b footer-c footer-d] pagehash:" cmid:"27793"});

ror (for highest graded attempt)

order to fix style inclusion problems in IE with YUI **/</script><link rel="stylesheet" type="text/css" href

templater('css');me.p'/assets/skins/sam/yui2-skin'))};

root:"m\1 patterns:{" configFn:yl filter:null modules:{" base-build] moodle-co| node]] moodle-co|

collapseall: expandall:"repository: size:"Size" invalidjson: nofilesatta filepicker:" logout:"Loξ nofilesavail

:f="https://lms.uop.edu.jo/moodle/theme/styles.php/mb2cg/1750653988_1/all" />

node moodle-co|moodle-co|moodle-co|event-focu:moodle-co|moodle-co|panel moodle-co|

noreposito none of yo fileexistsdi; fileexistsdi; fileexistsdi; renameto:' references; select:"Sele admin:{"co

moodle-co| moodle-co| when:"afte moodle-co| event

node-even| moodle-co| moodle-co| moodle-co|


```
confirmatic debug:{"de line:"Line" stacktrace: langconfig:{"labelsep":": "}};
```


dd

dd-scroll

moodle-co

moodle-co

moodle-co|node

io

dom

dd

event-key event-focu:moodle-co moodle-co node

event

event-dele; panel

moodle-co

json}} moodle-ba node-eveni moodle-co moodle-ba event node-eveni anim}} moodle-co

use:["moodle-submodule moodle-co moodle-co moodle-co moodle-co moodle-co event-key"] moodle-co

node io-base moodle-co json-parse dd-constrai dd-proxy dd-drop dd-delegati node-event

moodle-co|node io dom dd dd-scroll moodle-co|moodle-co|moodle-co|

moodle-co|moodle-for node overlay calendar]} moodle-for base selector-cs:moodle-co|

moodle-qu moodle-qu node[]}

moodle-qu dom

event-dele; event-key core_quest moodle-av;

node event moodle-co moodle-av; node event io moodle-co moodle-av;

node event moodle-co moodle-av; node event moodle-co moodle-av; node

event moodle-co|moodle-av;node event moodle-co|moodle-mc transition}} moodle-mc

node}} moodle-mc node event event-value node-event io-form}} moodle-mc moodle-mc

querystring moodle-mc node

event

event-key io

moodle-mc moodle-mc moodle-co

node}} moodle-mcnode event}} moodle-mcnode io dom dd

node io} moodle-filt node io-base json-parse event-dele|overlay moodle-co

escape event event-simu event-cust node-even node-even yui-throttle moodle-co moodle-co

moodle-ed handlebars timers

querystring moodle-ed base

escape

event

event-outsi

handlebars event-cust(timers

moodle-ed moodle-ed node

event

event-cust(moodle-ref

event node node-event datatable autocompl autocompl moodle-ref event node

io node-event|moodle-gra|event-dele|event-key handlebars io-base json-parse moodle-co

moodle-qb moodle-to moodle-as event node io graphics json event-mov

moodle-ed moodle-att moodle-att moodle-att moodle-att moodle-att moodle-att moodle-att moodle-att

moodle-att moodle-co.io

event-value tabview

array-extra moodle-att moodle-att moodle-att

moodle-ed moodle-att moodle-att event-valu moodle-att moodle-att moodle-att moodle-att moodle-att

moodle-att escape}} moodle-att moodle-att moodle-att moodle-for moodle-att moodle-att moodle-att

moodle-att moodle-att moodle-att moodle-att moodle-att moodle-att moodle-att moodle-ed event

event-value moodle-att moodle-att moodle-att moodle-att moodle-att gallery:{"name": "base:" "https combine:tr

comboBase ext:false root:"galle| patterns:{}; modules:{} fullpath:"hi requires:["| node node-event

json

async-queue io-base

io-upload-i io-form

yui2-treeview panel

cookie

datatable

datatable-s resize-plugin|dd-plugin escape moodle-co|moodle-co|core_comn fullpath:"hi requires:["|

io-base node json yui2-anima overlay escape]] mathjax:{"fullpath:"htmlloginclude:


```
logExclude: logLevel:null};
```