



A A A



JAMAL.ZRAQOU

E-Learning Portal ▾

Resources

إدماج التعلم الإلكتروني

أيقونة التعلم الإلكتروني

Old Moodle ▾

FIT-Courses

Quality ▾

My courses (9) ▾



الرسم بالحاسوب للواقع الافتراضي ( 1\_607471 )

[Dashboard](#) > [My courses](#) > [607231\\_1](#) > [23 March - 29 March](#) > [Final Theoretical Exam](#)
  
Dashboard


  
Site home


  
Calendar


  
Badges


  
All courses


  
Edit course settings


  
Content bank


  
Turn editing off

Course management



2ي

202211118 يزن مازن تيسير الفقيه VR&AR**Started on** Wednesday, 18 June 2025, 12:02 PM**State** Finished**Completed on** Wednesday, 18 June 2025, 12:46 PM**Time taken** 44 mins 1 sec**Grade** 16.00 out of 25.00 (64%)

**Question 1**

Correct

Mark 1.00 out of  
1.00

Which of the below changes the display status of the current window.

- a. None of the options
- b. [b] glutHideWindow()
- c. [a] and [b] ✓
- d. [a] glutShowWindow()

The correct answer is: [a] and [b]

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:06:03	Saved: [b] glutHideWindow()	Answer saved	
<u>3</u>	18/06/25, 12:40:11	Saved: [a] and [b]	Answer saved	
<b>4</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 2

Correct

Mark 1.00 out of  
1.00

\_\_\_\_\_ creates a window with the specified dimension.

- a. glutCreateDimension2D()
- b. gluOrtho2D() ✓
- c. gluOtho2D()
- d. glutCreateWindow()

The correct answer is: gluOrtho2D()

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:06:03	Saved: gluOrtho2D()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

**Question 3**

Incorrect

Mark 0.00 out of  
1.00

\_\_\_\_\_ returns the windows id.

- a. glutCreateWindow() ✘
- b. glutGetWindow()
- c. glutgetDisplayId()
- d. gdlutGetWindowId()

The correct answer is: glutGetWindow()

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:31:52	Saved: glutCreateWindow()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

**Question 4**

Correct

Mark 1.00 out of  
1.00

What is a pixel in computer graphics?

- a. A type of vertex
- b. A triangle
- c. The basic unit of programmable color on a computer display ✓
- d. A drawing function

The correct answer is: The basic unit of programmable color on a computer display

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:09:31	Saved: The basic unit of programmable color on a computer display	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

**Question 5**

Correct

Mark 1.00 out of  
1.00

Which function is used to start drawing in OpenGL?

- a. glVertex2f()
- b. glColor3f()
- c. glBegin() ✓
- d. glEnd()

The correct answer is: glBegin()

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:09:31	Saved: glBegin()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

**Question 6**

Correct

Mark 1.00 out of  
1.00

\_\_\_\_\_ is used to include things like the background color, light positions and texture maps.

- a. keyboard()
- b. mouseMotion()
- c. init() ✓
- d. display()

The correct answer is: init()

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:09:31	Saved: init()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 7

Correct

Mark 1.00 out of  
1.00

Which function is used to specify a vertex with 3 float values?

- a. glVertex3f ✓
- b. glColor3f
- c. glClear
- d. glBegin

The correct answer is: glVertex3f

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:12:54	Saved: glVertex3f	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 8

Incorrect

Mark 0.00 out of  
1.00

Which header file is essential to include the OpenGL core library?

- a. <GL/glu.h>
- b. <stdio.h>
- c. <GL/glut.h> ✖
- d. <GL/gl.h>

The correct answer is: <GL/gl.h>

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:12:54	Saved: <GL/glut.h>	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

## Question 9

Incorrect

Mark 0.00 out of  
1.00

How many parameter does the function keyboard required to be registerd in the glutKeyboardFunc(keyboard)?

- a. three parameters
- b. tow parameters ✘
- c. one parameter
- d. no parameter

The correct answer is: three parameters

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:12:54	Saved: tow parameters	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

## Question 10

Correct

Mark 1.00 out of  
1.00

What does the term 'vertex' refer to in 3D graphics?

- a. A texture
- b. A pixel
- c. A corner point in 3D space ✓
- d. A color value

The correct answer is: A corner point in 3D space

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:15:23	Saved: A corner point in 3D space	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 11

Correct

Mark 1.00 out of  
1.00

Which symbolic constant is used to draw points?

- a. GL\_TRIANGLES
- b. GL\_QUADS
- c. GL\_LINES
- d. GL\_POINTS ✓

The correct answer is: GL\_POINTS

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:15:23	Saved: GL_POINTS	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 12

Correct

Mark 1.00 out of  
1.00

Which of the below returns the window height.

- a. `int h=glutGet(GLUT_WINDOW_HEIGHT)` ✓
- b. `int h=glutGetWINDOW_HEIGHT()`
- c. `int h=GetWindow_Height()`
- d. `int h=glutGet(WINDOW_HEIGHT)`

The correct answer is: `int h=glutGet(GLUT_WINDOW_HEIGHT)`

## Response history

Step	Time	Action	State	Marks
1	18/06/25, 12:02:33	Started	Not yet answered	
2	18/06/25, 12:15:23	Saved: int h=glutGet(GLUT_WINDOW_HEIGHT)	Answer saved	
3	18/06/25, 12:46:34	Attempt finished	Correct	1.00

## Question 13

Incorrect

Mark 0.00 out of  
1.00

\_\_\_\_\_ is the upper left corner of the display.

- a. (1, 0)
- b. (-1, -1)
- c. (0, 1) ✘
- d. (1, 1)

The correct answer is: (-1, -1)

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:17:06	Saved: (1, 0)	Answer saved	
<u>3</u>	18/06/25, 12:20:39	Saved: {\$a}	Not yet answered	
<u>4</u>	18/06/25, 12:36:17	Saved: (0, 1)	Answer saved	
<b>5</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

## Question 14

Correct

Mark 1.00 out of  
1.00

What is glLineStipple used for?

- a. To fill polygons
- b. To define color gradients
- c. To define patterns in lines such as dashes and dots ✓
- d. To draw triangles

The correct answer is: To define patterns in lines such as dashes and dots

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:17:06	Saved: To define patterns in lines such as dashes and dots	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 15

Incorrect

Mark 0.00 out of  
1.00

How many parameter does the int glutCreateSubWindow() take?

- a. five parameters
- b. one parameter
- c. three parameters ✘
- d. four parameter

The correct answer is: five parameters

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:17:06	Saved: three parameters	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

## Question 16

Correct

Mark 1.00 out of  
1.00

What is the correct RGB value for blue in OpenGL?

- a. glColor3f(0.0, 1.0, 0.0);
- b. glColor3f(1.0, 1.0, 1.0);
- c. glColor3f(0.0, 0.0, 1.0); ✓
- d. glColor3f(1.0, 0.0, 0.0);

The correct answer is: glColor3f(0.0, 0.0, 1.0);

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:17:59	Saved: glColor3f(0.0, 0.0, 1.0);	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 17

Incorrect

Mark 0.00 out of  
1.00

What is the purpose of glFlush() in OpenGL?

- a. To load a texture
- b. To clear the color buffer
- c. To start drawing ✖
- d. To ensure that drawing commands are executed

The correct answer is: To ensure that drawing commands are executed

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:23:12	Saved: To start drawing	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

**Question 18**

Incorrect

Mark 0.00 out of  
1.00

To use a menu in your program, you have to do:

- a. Define the entries in the menu
- b. Link the menu to a particular mouse button
- c. All the options
- d. Define the callback function corresponding to each menu ✘

The correct answer is: All the options

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:24:24	Saved: Define the callback function corresponding to each menu	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

## Question 19

Correct

Mark 1.00 out of  
1.00

\_\_\_\_\_ requests a change in the size of the current window.

- a. glutGet()
- b. glutReshapeWindow() ✓
- c. glutReshapeFunc()
- d. glutSizeFunc

The correct answer is: glutReshapeWindow()

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:23:36	Saved: glutReshapeWindow()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 20

Incorrect

Mark 0.00 out of  
1.00

\_\_\_\_\_ procedure setup the OpenGL to how to store color information.

- a. glVertex3f
- b. glutInitColorMode() ✘
- c. glutInitDisplayInfo()
- d. glutInitDisplayMode()

The correct answer is: glutInitDisplayMode()

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:38:39	Saved: glutInitColorMode()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

## Question 21

Correct

Mark 1.00 out of  
1.00

The amount of computation and rendering done in Choice  

an callback should be minimized to avoid affecting the program's interactive response.

Your answer is correct.

The correct answer is:

The amount of computation and rendering done in Choice [idle] an callback should be minimized to avoid affecting the program's interactive response.

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:38:39	Saved: {idle}	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 22

Correct

Mark 1.00 out of  
1.00

\_\_\_\_\_ mark the normal plane of current window as needing to be redisplayed.

- a. glutSizeFunc
- b. glutPostRedisplay() ✓
- c. glutReshapeFunc()
- d. glutReshapeWindow()

The correct answer is: glutPostRedisplay()

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:27:45	Saved: glutPostRedisplay()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 23

Correct

Mark 1.00 out of  
1.00

Which of the below is not a callback function.

- a. glutReshapeFunc(Method name);
- b. glutIdleFunc(Method name);
- c. glutPassiveMouseFunc(Method name);
- d. None of the options ✓

The correct answer is: None of the options

### Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:27:45	Saved: None of the options	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

## Question 24

Incorrect

Mark 0.00 out of  
1.00

How many parameter does the glutDisplayFunc take?

- a. one parameter
- b. tow parameters
- c. No parameter
- d. Any number of parameter(s) ✘

The correct answer is: one parameter

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:27:45	Saved: Any number of parameter(s)	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Incorrect</b>	<b>0.00</b>

## Question 25

Correct

Mark 1.00 out of  
1.00

Which OpenGL function is used to set a window size?

- a. glutInitWindowSize() ✓
- b. glBegin()
- c. glFlush()
- d. glVertex3f()

The correct answer is: glutInitWindowSize()

## Response history

Step	Time	Action	State	Marks
<u>1</u>	18/06/25, 12:02:33	Started	Not yet answered	
<u>2</u>	18/06/25, 12:28:08	Saved: glutInitWindowSize()	Answer saved	
<b>3</b>	<b>18/06/25, 12:46:34</b>	<b>Attempt finished</b>	<b>Correct</b>	<b>1.00</b>

◀ Final Practical Exam (hid...

Jump to... ▾

Incomplete the Final Practic...

Copyright © PUeLC. 2024-2025 All rights reserved.



You are logged in as د. جمال سامي شاهين زراقو - ([Log out](#)) [Help and documentation](#)

[Data retention summary](#)