

My courses (5) ▾



(603102 - جميع الشعب -) مقدمة لتصميم المواقع الالكترونية -

[Dashboard](#) > [My courses](#) > [603102_all](#) > [General](#) > [Part1: Final Exam](#)

Hide sidebars

-  Dashboard
-  Site home
-  Calendar
-  Badges
-  All courses
-  Edit course settings
-  Content bank
-  Turn editing on

Course management 21 [202511244 اسممه ماهر اسماعيل كامل DS&AI](#)**Status** Finished**Started** Wednesday, 28 January 2026, 11:50 AM**Completed** Wednesday, 28 January 2026, 12:07 PM**Duration** 17 mins 5 secs**Grade** 29.00 out of 40.00 (72.5%)

Question 1

Correct

Mark 1.00 out of 1.00

How can you horizontally center a block-level element using margins?

- a. margin: auto;
- b. margin-left: auto; margin-right: auto; 
- c. Both B and C are correct
- d. margin: center;

The correct answers are: margin: center;, margin-left: auto; margin-right: auto;, margin: auto;, Both B and C are correct

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:52:03	Saved: margin-left: auto; margin-right: auto;	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 2

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which positioning value removes an element from the normal document flow and positions it relative to the nearest positioned ancestor?

- a. position: relative
- b. position: absolute ✓
- c. position: static
- d. position: fixed

The correct answer is: position: absolute

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:52:03	Saved: position: absolute	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 3

Incorrect

Mark 0.00 out of
1.00

Hide sidebars

What is the result of using the `typeof` operator on the value `null`?

- a. "number"
- b. "object"
- c. "undefined"
- d. "null" ❌

Your answer is incorrect.

The correct answer is: "object"

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:52:03	Saved: "null"	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 4

Incorrect

Mark 0.00 out of
1.00

Hide sidebars

Look at the following code:

CSS

```
p::first-letter {
  font-size: 3em;
  color: red;
}
```

What visual effect does this code create?

- a. It makes the entire paragraph red and large. ❌
- b. It highlights the text when the user selects it
- c. It makes the first line of the paragraph red
- d. It creates a "drop cap" effect by styling only the first letter.

Your answer is incorrect.

The correct answer is: It creates a "drop cap" effect by styling only the first letter.

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:52:30	Saved: It makes the entire paragraph red and large.	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 5

Correct

Mark 1.00 out of 1.00

Hide sidebars

What is the key difference between :first-child and :first-of-type selectors?

- a. They work exactly the same way
- b. :first-child is faster than :first-of-type
- c. :first-child selects only if element is the absolute first child, :first-of-type selects first of specific type ignoring other elements
- d. :first-of-type only works with paragraphs

The correct answer is: :first-child selects only if element is the absolute first child, :first-of-type selects first of specific type ignoring

Response history

Step	Time	Action	Status
1	28/01/26, 11:50:28	Started	Not answered
2	28/01/26, 11:53:20	Saved: :first-child selects only if element is the absolute first child, :first-of-type selects first of specific type ignoring other elements	Answered
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 6

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which transform function is used to rotate an element?

- a. transform: rotate(45deg) ✓
- b. transform: spin(45deg)
- c. transform: turn(45deg)
- d. transform: angle(45deg)

The correct answer is: transform: rotate(45deg)

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:53:20	Saved: transform: rotate(45deg)	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 7

Correct

Mark 1.00 out of 1.00

Which button type is used to send form data to the server?

- a. type="post"
- b. type="submit" ✓
- c. type="button"
- d. type="send"

The correct answer is: type="submit"

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:54:17	Saved: type="submit"	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 8

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which HTML5 input type automatically validates email address format?

- a. type="validation"
- b. type="text"
- c. type="mail"
- d. type="email" ✓

The correct answer is: type="email"

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:54:17	Saved: type="email"	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 9

Incorrect

Mark 0.00 out of 1.00

Which input type should you use for multi-line text input like comments or messages?

- a. <input type="message"> ✘
- b. <input type="multiline">
- c. <textarea>
- d. <input type="text">

The correct answer is: <textarea>

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:54:17	Saved: <input type="message">	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 10

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which CSS property must be set for borders to appear on an element?

- a. border-width
- b. border-display
- c. border-style ✓
- d. border-color

The correct answer is: border-style

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:55:29	Saved: border-width	Answer saved
3	28/01/26, 11:59:57	Saved: border-style	Answer saved
4	28/01/26, 12:07:33	Attempt finished	Correct

Question 11

Correct

Mark 1.00 out of 1.00

What is the correct purpose of the <aside> element?

- a. To create the main content area
- b. To group navigation links
- c. To contain content that is tangentially related to the main content, like a sidebar ✓
- d. To create the page header

The correct answer is: To contain content that is tangentially related to the main content, like a sidebar

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:55:29	Saved: To contain content that is tangentially related to the main content, like a sidebar	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 12

Incorrect

Mark 0.00 out of 1.00

Hide sidebars

Which HTML5 elements are used together to create expandable/collapsible content?

- a. <details> and <summary>
- b. <dropdown> and <content>
- c. <expand> and <collapse> ❌
- d. <show> and <hide>

The correct answer is: <details> and <summary>

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:55:29	Saved: <expand> and <collapse>	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 13

Correct

Mark 1.00 out of 1.00

Which loop is best when you know exactly how many times you want to repeat code?

- a. do-while loop
- b. for loop ✔️
- c. while loop
- d. if loop

The correct answer is: for loop

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:56:06	Saved: for loop	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 14

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which HTML5 element is used to contain self-contained content like blog posts or news articles?

- a. <section>
- b. <article> ✓
- c. <main>
- d. <content>

The correct answer is: <article>

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:56:06	Saved: <article>	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 15

Correct

Mark 1.00 out of 1.00

Which input type opens a color picker for users to select colors?

- a. type="palette"
- b. type="colorpicker"
- c. type="color" ✓
- d. type="rgb"

The correct answer is: type="color"

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:56:06	Saved: type="color"	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 16

Correct

Mark 1.00 out of 1.00

Hide sidebars

What is the range of values for the opacity property?

- a. 0% to 100%
- b. 0 to 100
- c. 1 to 10
- d. 0 to 1 ✓

The correct answer is: 0 to 1

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:57:05	Saved: 0 to 1	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 17

Incorrect

Mark 0.00 out of 1.00

What operator is used to check if a number is even or odd?

- a. * (multiplication)
- b. == (equality)
- c. % (modulus)
- d. / (division) ✗

The correct answer is: % (modulus)

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:57:05	Saved: / (division)	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 18

Correct

Mark 1.00 out of 1.00

Hide sidebars

In animation shorthand notation, if you specify two time values, what do they represent?

- a. Duration first, then delay ✓
- b. Start time and end time
- c. Both represent duration
- d. Delay first, then duration

The correct answer is: Duration first, then delay

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:57:05	Saved: Duration first, then delay	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 19

Correct

Mark 1.00 out of 1.00

What are the two main attributes of the HTML form tag?

- a. method and name
- b. action and method ✓
- c. action and submit
- d. action and type

The correct answer is: action and method

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:58:05	Saved: action and method	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question **20**

Correct

Mark 1.00 out of
1.00

Hide sidebars

What does the animation direction value "alternate" do?

- a. Runs the animation forward only
- b. Alternates between forward and backward with each cycle ✓
- c. Runs the animation backwards only
- d. Randomly changes direction

The correct answer is: Alternates between forward and backward with each cycle

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:58:05	Saved: Alternates between forward and backward with each cycle	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question **21**

Correct

Mark 1.00 out of
1.00

Hide sidebars

Which code snippet correctly changes the color of a button when the mouse moves over it?

- a. `button:hover { color: red; }` ✓
- b. `button::hover { color: red; }`
- c. `button::mouse-over { color: red; }`
- d. `button:active { color: red; }`

Your answer is correct.

The correct answer is: `button:hover { color: red; }`

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:58:05	Saved: <code>button:hover { color: red; }</code>	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question **22**

Correct

Mark 1.00 out of
1.00

Hide sidebars

Which input type displays a slider control for selecting a numeric value within a range?

- a. type="slider"
- b. type="scroll"
- c. type="number"
- d. type="range" ✓

The correct answer is: type="range"

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:59:41	Saved: type="range"	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question **23**

Incorrect

Mark 0.00 out of
1.00

Hide sidebars

How many errors are in the following code:

```
let counter = 5;
while (counter > 0)
{
document.write(counter + " ");
COUNTER--;
}
```

- a. 0 errors 
- b. 3 errors
- c. 1 error
- d. 2 errors

The correct answer is: 1 error

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:59:41	Saved: 0 errors	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question **24**

Correct

Mark 1.00 out of
1.00

Hide sidebars

A student writes `border-width: 5px; and border-color: red;`, but the border does not appear. What is missing?

- a. The `border-style` property ✓
- b. The `padding` property
- c. The `margin` property
- d. The `border-background` property

Your answer is correct.

The correct answer is: The `border-style` property

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 11:59:41	Saved: The border-style property	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question **25**

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which operator is used for string concatenation in JavaScript?

- a. ,
- b. .
- c. &
- d. + 

The correct answer is: +

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:01:53	Saved: +	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 26

Incorrect

Mark 0.00 out of
1.00

Hide sidebars

What is the output of the following code:

```
let x=10;
if((x+=2)>10){
  document.write("true");
}
else {
  document.write("false");
}
document.write(x);
```

- a. false10
- b. 12
- c. true12
- d. false12 ❌

The correct answer is: true12

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:01:53	Saved: false12	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 27

Correct

Mark 1.00 out of 1.00

Hide sidebars

What HTML elements are used to group related form controls and provide a caption?

- a. <section> and <header>
- b. <fieldset> and <legend> ✓
- c. <group> and <title>
- d. <div> and <label>

The correct answer is: <fieldset> and <legend>

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:01:53	Saved: <fieldset> and <legend>	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 28

Incorrect

Mark 0.00 out of 1.00

What does the autocomplete attribute do when set to "on"?

- a. It validates the input automatically ✗
- b. It allows browsers to suggest previously entered values
- c. It submits the form automatically
- d. It automatically fills the form with random data

The correct answer is: It allows browsers to suggest previously entered values

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:02:32	Saved: It validates the input automatically	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 29

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which HTML5 input type automatically validates email addresses?

- a. type="emailaddress"
- b. type="text"
- c. type="mail"
- d. type="email" ✓

The correct answer is: type="email"

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:02:32	Saved: type="email"	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 30

Correct

Mark 1.00 out of 1.00

What happens when an element has "position: fixed" applied to it?

- a. It is positioned relative to its parent element
- b. It moves relative to its normal position
- c. It follows the normal document flow
- d. It stays in the same place when the page is scrolled ✓

The correct answer is: It stays in the same place when the page is scrolled

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:02:32	Saved: It stays in the same place when the page is scrolled	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 31

Incorrect

Mark 0.00 out of 1.00

Hide sidebars

How many errors are in the following code:

```
let y==10;  
for (let x=0, x<3; x++){  
document.write(x+y)  
}
```

- a. 1 error
- b. 0 errors
- c. 3 errors
- d. 2 errors ✘

The correct answer is: 3 errors

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:03:35	Saved: 2 errors	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 32

Correct

Mark 1.00 out of 1.00

Hide sidebars

What CSS rule is used to define the intermediate states in a CSS animation?

- a. @keyframes ✓
- b. @frames
- c. @states
- d. @animation

The correct answer is: @keyframes

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:03:35	Saved: @keyframes	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 33

Correct

Mark 1.00 out of 1.00

Which keyword should you use to declare a variable whose value will NOT change?

- a. let
- b. static
- c. var
- d. const ✓

The correct answer is: const

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:03:35	Saved: const	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 34

Incorrect

Mark 0.00 out of 1.00

Hide sidebars

What are the three attributes used to control numeric input in the number input type?

- a. start, end, increment ❌
- b. min, max, value
- c. low, high, step
- d. min, max, step

The correct answer is: min, max, step

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:07:19	Saved: start, end, increment	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 35

Correct

Mark 1.00 out of 1.00

Which animation property determines how many times an animation runs?

- a. animation-times
- b. animation-iteration-count ✔️
- c. animation-count
- d. animation-repeat

The correct answer is: animation-iteration-count

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:05:26	Saved: animation-iteration-count	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question **36**

Correct

Mark 1.00 out of
1.00

Hide sidebars

What is the output of the following code:

```
let x=2;  
document.write('Number is:'+x+2);
```

- a. 4
- b. 22
- c. Number is 22 ✓
- d. Number is 4

The correct answer is: Number is 22

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:05:26	Saved: Number is 22	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 37

Incorrect

Mark 0.00 out of 1.00

Hide sidebars

How many errors are in the following JavaScript code:

```
let grade = 75;
if grade >= 90
{
document.write("A");
} else if (grade >= 80)
{
document.write("B");
} else {
document.write("C")
}
```

- a. 1 error 
- b. 4 errors
- c. 3 errors
- d. 2 errors

The correct answer is: 2 errors

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:06:47	Saved: 1 error	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Incorrect

Question 38

Correct

Mark 1.00 out of 1.00

Hide sidebars

Which code block correctly creates a green border only on the top of an element?

- a. `margin-top: 5px solid green;`
- b. `border: 5px green;`
- c. `border-top: 5px solid green;` ✓
- d. `padding-top: green;`

Your answer is correct.

The correct answer is: `border-top: 5px solid green;`

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:06:47	Saved: <code>border-top: 5px solid green;</code>	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 39

Correct

Mark 1.00 out of 1.00

Hide sidebars

What is the purpose of the datalist element in HTML5 forms?

- a. To provide dropdown list, input suggestions and autocomplete options ✓
- b. To store form data
- c. To validate user input
- d. To create a dropdown list like select

The correct answer is: To provide dropdown list, input suggestions and autocomplete options

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:06:47	Saved: To provide dropdown list, input suggestions and autocomplete options	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Question 40

Correct

Mark 1.00 out of 1.00

What is the main difference between radio buttons and checkboxes in forms?

- a. Radio buttons allow single selection within a group, checkboxes allow multiple selections ✓
- b. There is no difference between them
- c. Radio buttons allow multiple selections, checkboxes allow single selection
- d. Radio buttons are only for numbers, checkboxes are for text

The correct answer is: Radio buttons allow single selection within a group, checkboxes allow multiple selections

Response history

Step	Time	Action	State
1	28/01/26, 11:50:28	Started	Not yet answered
2	28/01/26, 12:07:06	Saved: Radio buttons allow single selection within a group, checkboxes allow multiple selections	Answer saved
3	28/01/26, 12:07:33	Attempt finished	Correct

Part2: Final Exam (hidden) ▶

 Table of contents

> **General**

Expand all

Hide sidebars

Copyright © PUeLC. 2025-2026 All rights reserved.