



مقدمة لتصميم المواقع الإلكترونية - (3_603102)

Dashboard > My courses > 603102_3 > General > midexam - part1

- Dashboard
- Site home
- Calendar
- Badges
- All courses
- Edit course settings
- Content bank
- Turn editing off

Course management

س 2 202511143 سيرين محمد طلال دغمش DS&AI

Status Finished

Started Thursday, 4 December 2025, 8:02 AM

Completed Thursday, 4 December 2025, 8:16 AM

Duration 14 mins 5 secs

Marks 24.00/25.00

Grade 19.20 out of 20.00 (96%)

Question 1

Correct

Mark 1.00 out of 1.00

A student is instructed to create a main heading (<h1>) that is red, centered, and 36px using Inline CSS. Which HTML snippet correctly implements this requirement?

- a. <h1>My Title</h1> <p style="color: red; text-align: center; font-size: 36px;">
- b. <style>h1 { color: red; text-align: center; font-size: 36px; }</style><h1>My Title</h1>
- c. <h1 style="color: red; text-align: center; font-size: 36px">My Title</h1>
- d. <h1 class="red centered size36">My Title</h1>

The correct answer is: <h1 style="color: red; text-align: center; font-size: 36px">My Title</h1>

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:02:59	Saved: <h1 style="color: red; text-align: center; font-size: 36px">My Title</h1>	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 2

Correct

Mark 1.00 out of 1.00

Which of the following examples is best to practice for alt text?

- a. `` ✓
- b. ``
- c. ``
- d. ``

The correct answer is: ``

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:03:40	Saved: <code></code>	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 3

Correct

Mark 1.00 out of 1.00

Which HTML tag is used to define a numbered, or ordered, list?

- a. `` ✓
- b. ``
- c. `<dl>`
- d. ``

The correct answer is: ``

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:04:08	Saved: <code></code>	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 4

Correct

Mark 1.00 out of 1.00

2. Which statement correctly describes the relationship between block-level and inline elements?

- a. Inline elements always start on a new line, block elements never do.
- b. Block-level elements take the full width by default, inline elements only take the space needed. ✓
- c. Neither inline nor block-level elements can contain other elements.
- d. Both block-level and inline elements force new lines before and after.

The correct answer is: Block-level elements take the full width by default, inline elements only take the space needed.

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:05:20	Saved: Block-level elements take the full width by default, inline elements only take the space needed.	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 5

Correct

Mark 1.00 out of 1.00

What is the correct interpretation of the path ../file.html when creating an internal link?

- a. Go up one folder from the current location and look for file.html. ✓
- b. Look for file.html in the same folder as the current file.
- c. Go into the .. subfolder and look for file.html.
- d. Go up two folders from the current location and look for file.html.

The correct answer is: Go up one folder from the current location and look for file.html.

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:05:48	Saved: Go up one folder from the current location and look for file.html.	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 6

Correct

Mark 1.00 out of 1.00

What is the correct syntax for inline CSS?

- a. <tagname format="property: value;">Content</tagname>
- b. <tagname style="property: value;">Content</tagname> ✓
- c. <tagname design="property: value;">Content</tagname>
- d. <tagname css="property: value;">Content</tagname>

The correct answer is: <tagname style="property: value;">Content</tagname>

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:06:09	Saved: <tagname style="property: value;">Content</tagname>	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 7

Correct

Mark 1.00 out of 1.00

Which attribute of the HTML <link> tag is used to specify the path to the external CSS file?

- a. style
- b. href ✓
- c. class
- d. rel

The correct answer is: href

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:06:49	Saved: href	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 8

Correct

Mark 1.00 out of 1.00

Which attribute is used to make a table cell span across multiple columns?

- a. span-row
- b. merge-columns
- c. colspan 
- d. rowspan

The correct answer is: colspan

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:07:05	Saved: colspan	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 9

Correct

Mark 1.00 out of 1.00

A web developer wants to create a hyperlink that, when clicked, automatically opens the user's email client and pre-fills the subject "Course Inquiry." Which href value achieves this?

- a. `Email Us`
- b. `Email Us`
- c. `Email Us` 
- d. `Email Us`

The correct answer is: `Email Us`

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answ
2	4/12/25, 08:08:25	Saved: <code>Email Us</code>	Answer save
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 10

Correct

Mark 1.00 out of 1.00

Which HTML tag is described as a semantic tag that conveys strong importance to the text it encloses?

- a.
- b. ✓
- c. <i>
- d. <mark>

Your answer is correct.

The correct answer is:

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:08:38	Saved: 	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 11

Correct

Mark 1.00 out of 1.00

3. What is the correct purpose of the <!DOCTYPE html> declaration in HTML5?

- a. It loads CSS rules automatically.
- b. It tells the browser which character encoding to use.
- c. It defines the root structure of the <html> tag.
- d. It specifies that the document conforms to HTML5 standards. ✓

The correct answer is: It specifies that the document conforms to HTML5 standards.

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:08:52	Saved: It specifies that the document conforms to HTML5 standards.	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 12

Correct

Mark 1.00 out of 1.00

What are the two essential attributes for the tag, as recommended by the presentation?

- a. href and width
- b. src and alt ✓
- c. src and link
- d. src and title

The correct answer is: src and alt

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:09:06	Saved: src and alt	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 13

Correct

Mark 1.00 out of 1.00

Which CSS property is used to set a background image?

- a. bg-image
- b. image-background
- c. background-image ✓
- d. background-img

The correct answer is: background-image

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:09:29	Saved: background-image	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 14

Correct

Mark 1.00 out of 1.00

Which pair of tags should you use for important text that needs emphasis (تأكيد, أهمية)?

- a. and ✓
- b. <important> and <emphasis>
- c. <bold> and <italic>
- d. and <i>

The correct answer is: and

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:09:59	Saved: and 	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 15

Correct

Mark 1.00 out of 1.00

5. The use of <thead>, <tbody>, and <tfoot> elements primarily improves which two aspects of an HTML table?

- a. Border Collapse and Column Widths.
- b. colspan and rowspan complexity.
- c. Semantic Structure and Styling Control (e.g., easy to apply styles to different sections). ✓
- d. Cell Padding and Hover Effects.

The correct answer is: Semantic Structure and Styling Control (e.g., easy to apply styles to different sections).

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet ar
2	4/12/25, 08:10:28	Saved: Semantic Structure and Styling Control (e.g., easy to apply styles to different sections).	Answer s
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 16

Correct

Mark 1.00 out of 1.00

What does the href attribute in the anchor tag define?

- a. The file type of the linked document
- b. The text color of the link
- c. The hover style of the link
- d. The destination of the hyperlink ✓

The correct answer is: The destination of the hyperlink

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:10:41	Saved: The destination of the hyperlink	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 17

Correct

Mark 1.00 out of 1.00

What is the purpose of the <head> element in a basic HTML document structure?

- a. It contains metadata, which is information about the page. ✓
- b. It serves as the root element that contains all other elements.
- c. It contains the visible page content, like headings and paragraphs.
- d. It declares the document type to be HTML5.

Your answer is correct.

The correct answer is: It contains metadata, which is information about the page.

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:11:05	Saved: It contains metadata, which is information about the page.	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 18

Incorrect

Mark 0.00 out of 1.00

A developer wants to create a horizontal navigation menu from an unordered list. Which two CSS properties are essential for removing bullets and aligning the list items horizontally?

- a. list-style-type: circle; and text-align: center; ❌
- b. list-style-image: url(""); and float: left;
- c. list-style-type: none; and display: inline-block;
- d. display: block; and padding: 0;

The correct answer is: list-style-type: none; and display: inline-block;

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:14:34	Saved: list-style-type: circle; and text-align: center;	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Incorrect

Question 19

Correct

Mark 1.00 out of 1.00

Which HTML tag is specifically used to create hyperlinks?

- a. <h1>
- b. <link>
- c. <a> ✅
- d. <nav>

The correct answer is: <a>

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:14:46	Saved: <a>	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 20

Correct

Mark 1.00 out of 1.00

In CSS, what symbol is used to select elements by class?

- a. . ✓
- b. *
- c. #
- d. @

The correct answer is: .

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:14:53	Saved: .	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 21

Correct

Mark 1.00 out of 1.00

1. Which HTML element is used to define the actual data contained within a table cell?

- a. <caption>
- b. <tr>
- c. <th>
- d. <td> ✓

The correct answer is: <td>

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:15:10	Saved: <td>	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 22

Correct

Mark 1.00 out of 1.00

Which HTML element is used to create an unordered (bulleted) list?

- a. <dl>
- b. <list>
- c.
- d. ✓

The correct answer is:

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:15:37	Saved: 	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 23

Correct

Mark 1.00 out of 1.00

Which CSS property is used to draw single border?

- a. border-merge
- b. border-combine
- c. border-collapse ✓
- d. table-border

The correct answer is: border-collapse

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:15:56	Saved: border-collapse	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 24

Correct

Mark 1.00 out of 1.00

What does the CSS selector "tbody tr:nth-child(even)" do?

- a. Selects the first row in tbody
- b. Selects every even-numbered row in tbody ✓
- c. Selects every odd-numbered row in tbody
- d. Selects all rows in tbody

The correct answer is: Selects every even-numbered row in tbody

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:16:22	Saved: Selects every even-numbered row in tbody	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Question 25

Correct

Mark 1.00 out of 1.00

What does CSS stand for?

- a. Colorful Style Sheets
- b. Cascading Style Sheets ✓
- c. Creative Style Sheets
- d. Computer Style Sheets

The correct answer is: Cascading Style Sheets

Response history

Step	Time	Action	State
1	4/12/25, 08:02:31	Started	Not yet answered
2	4/12/25, 08:16:28	Saved: Cascading Style Sheets	Answer saved
3	4/12/25, 08:16:36	Attempt finished	Correct

Jump to...

midexam - part2 ▶