

[E-Learning Portal](#) | [Resources](#) | [إدماج التعلم الإلكتروني](#) | [أيقونة التعلم الإلكتروني](#) | [Old Moodle](#) | [FIT-Courses](#) | [Quality](#) | [MoodleExams](#)
My courses (16) 

(2_603102) - مقدمة لتصميم المواقع الالكترونية -

[Dashboard](#) > [My courses](#) > [603102_2](#) > [General](#) > [midexam - part1](#)
[Dashboard](#) [Site home](#) [Calendar](#) [Badges](#) [All courses](#) [Edit course settings](#) [Content bank](#) [Turn editing off](#)
[Course management](#) 

 ط2 [202510004](#) [طلال اياد جمال الخطيب](#) [IS](#)
Status Finished**Started** Thursday, 4 December 2025, 8:01 AM**Completed** Thursday, 4 December 2025, 8:21 AM**Duration** 19 mins 47 secs**Marks** 18.00/25.00**Grade** 14.40 out of 20.00 (72%)

Question 1

Incorrect

Mark 0.00 out of 1.00

5. Which HTML structure is semantically correct for grouping navigation links on a webpage?

- a. <menu> ... </menu>
- b. <div class="links"> ... </div>
- c. <links> ... </links> ❌
- d. <nav> ... </nav>

The correct answer is: <nav> ... </nav>

Response history

| Step | Time | Action | State |
|------|-------------------|-----------------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:01:57 | Saved: <nav> ... </nav> | Answer saved |
| 3 | 4/12/25, 08:17:23 | Saved: <links> ... </links> | Answer saved |
| 4 | 4/12/25, 08:21:27 | Attempt finished | Incorrect |

Question 2

Correct

Mark 1.00 out of 1.00

Which of the following examples is best to practice for alt text?

- a. ``
- b. ``
- c. ``
- d. `` ✓

The correct answer is: ``

Response history

| Step | Time | Action | State |
|------|-------------------|---|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:03:02 | Saved: <code></code> | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 3

Correct

Mark 1.00 out of 1.00

What is the correct syntax for inline CSS?

- a. `<tagname format="property: value;">Content</tagname>`
- b. `<tagname css="property: value;">Content</tagname>`
- c. `<tagname design="property: value;">Content</tagname>`
- d. `<tagname style="property: value;">Content</tagname>` ✓

The correct answer is: `<tagname style="property: value;">Content</tagname>`

Response history

| Step | Time | Action | State |
|------|-------------------|---|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:14:58 | Saved: <code><tagname style="property: value;">Content</tagname></code> | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 4

Correct

Mark 1.00 out of 1.00

To increase internal spacing between text and the table cell border, which property should be adjusted?

- a. row height
- b. margin
- c. padding ✓
- d. border-spacing

The correct answer is: padding

Response history

| Step | Time | Action | State |
|------|-------------------|------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:03:46 | Saved: padding | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 5

Incorrect

Mark 0.00 out of 1.00

Why is the font-family property typically assigned a sequence of font names (a "font stack") ending in a generic family like sans-ser

- a. To provide fallback options, ensuring the browser can always display the text if the preferred fonts are not installed.
- b. To allow different parts of the text to use different colors.
- c. To ensure that the font size remains consistent across various browsers. ✗
- d. To define the font relative to the parent or root element (like em or rem).

The correct answer is: To provide fallback options, ensuring the browser can always display the text if the preferred fonts are not in

Response history

| Step | Time | Action | State |
|------|-------------------|---|--------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answ |
| 2 | 4/12/25, 08:04:36 | Saved: To ensure that the font size remains consistent across various browsers. | Answer save |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Incorrect |

Question 6

Correct

Mark 1.00 out of 1.00

Why is the border-collapse: collapse property important when styling tables?

- a. It merges adjacent borders into a single clean border ✓
- b. It increases the padding inside table cells
- c. It automatically adds zebra striping
- d. It converts rows into columns

The correct answer is: It merges adjacent borders into a single clean border

Response history

| Step | Time | Action | State |
|------|-------------------|--|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:04:52 | Saved: It merges adjacent borders into a single clean border | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 7

Incorrect

Mark 0.00 out of 1.00

Which of the following is **NOT** one of the key characteristics of HTML?

- a. It is the Foundation of the Web أساس تصميم الصفحات
- b. It is a Markup Language
- c. It uses HyperText to link to other texts. ❌
- d. It is a Programming Language.

Your answer is incorrect.

The correct answer is: It is a Programming Language.

Response history

| Step | Time | Action | State |
|----------|--------------------------|--|------------------|
| <u>1</u> | 4/12/25, 08:01:40 | Started | Not yet answered |
| <u>2</u> | 4/12/25, 08:15:22 | Saved: It is a Programming Language. | Answer saved |
| <u>3</u> | 4/12/25, 08:20:36 | Saved: It uses HyperText to link to other texts. | Answer saved |
| 4 | 4/12/25, 08:21:27 | Attempt finished | Incorrect |

Question 8

Correct

Mark 1.00 out of
1.00

What is the primary function of the title attribute when applied to a hyperlink?

- a. It provides additional context that appears as a tooltip when a user hovers over the link. ✓
- b. It specifies the destination URL of the link.
- c. It forces the linked file to download instead of navigating to it.
- d. It defines the relationship between the current document and the linked document (like stylesheet).

The correct answer is: It provides additional context that appears as a tooltip when a user hovers over the link.

Response history

| Step | Time | Action | State |
|------|-------------------|---|-----------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet a |
| 2 | 4/12/25, 08:06:05 | Saved: It provides additional context that appears as a tooltip when a user hovers over the link. | Answer s |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 9

Correct

Mark 1.00 out of 1.00

Which HTML tag is used to insert a single line break without starting a new paragraph?

- a. <lb>
- b. <break>
- c.
 ✓
- d. <line>

Your answer is correct.

The correct answer is:

Response history

| Step | Time | Action | State |
|------|-------------------|------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:06:15 | Saved: | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 10

Correct

Mark 1.00 out of 1.00

5. The use of <thead>, <tbody>, and <tfoot> elements primarily improves which two aspects of an HTML table?

- a. Cell Padding and Hover Effects.
- b. Semantic Structure and Styling Control (e.g., easy to apply styles to different sections). ✓
- c. colspan and rowspan complexity.
- d. Border Collapse and Column Widths.

The correct answer is: Semantic Structure and Styling Control (e.g., easy to apply styles to different sections).

Response history

| Step | Time | Action | State |
|------|-------------------|---|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:06:43 | Saved: Semantic Structure and Styling Control (e.g., easy to apply styles to different sections). | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 11

Correct

Mark 1.00 out of 1.00

What does the CSS selector "tbody tr:nth-child(even)" do?

- a. Selects all rows in tbody
- b. Selects every odd-numbered row in tbody
- c. Selects every even-numbered row in tbody ✓
- d. Selects the first row in tbody

The correct answer is: Selects every even-numbered row in tbody

Response history

| Step | Time | Action | State |
|------|-------------------|---|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:07:02 | Saved: Selects every even-numbered row in tbody | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 12

Incorrect

Mark 0.00 out of 1.00

A student is instructed to create a main heading (<h1>) that is red, centered, and 36px using Inline CSS. Which HTML snippet correctly implements this requirement?

- a. <h1>My Title</h1> <p style="color: red; text-align: center; font-size: 36px;">
- b. <h1 style="color: red; text-align: center; font-size: 36px">My Title</h1>
- c. <style>h1 { color: red; text-align: center; font-size: 36px; }</style><h1>My Title</h1>
- d. <h1 class="red centered size36">My Title</h1> ❌

The correct answer is: <h1 style="color: red; text-align: center; font-size: 36px">My Title</h1>

Response history

| Step | Time | Action | State |
|------|-------------------|--|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:08:09 | Saved: <h1 class="red centered size36">My Title</h1> | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Incorrect |

Question 13

Correct

Mark 1.00 out of 1.00

A web developer wants to create a hyperlink that, when clicked, automatically opens the user's email client and pre-fills the subject "Course Inquiry." Which href value achieves this?

- a. Email Us
- b. Email Us ✅
- c. Email Us
- d. Email Us

The correct answer is: Email Us

Response history

| Step | Time | Action | State |
|------|-------------------|---|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:08:27 | Saved: Email Us | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 14

Incorrect

Mark 0.00 out of
1.00

Which attribute of the HTML <link> tag is used to specify the path to the external CSS file?

- a. style
- b. class
- c. rel ✘
- d. href

The correct answer is: href

Response history

| Step | Time | Action | State |
|------|-------------------|------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:16:36 | Saved: rel | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Incorrect |

Question **15**

Correct

Mark 1.00 out of
1.00

Which HTML tag is described as a semantic tag that conveys strong importance to the text it encloses?

- a. <i>
- b. <mark>
- c.
- d. ✓

Your answer is correct.

The correct answer is:

Response history

| Step | Time | Action | State |
|------|-------------------|------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:09:28 | Saved: | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 16

Correct

Mark 1.00 out of 1.00

Which HTML element is used to create an unordered (bulleted) list?

- a. <dl>
- b. ✓
- c.
- d. <list>

The correct answer is:

Response history

| Step | Time | Action | State |
|------|-------------------|------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:09:43 | Saved: | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 17

Correct

Mark 1.00 out of 1.00

When styling a link, which CSS property is typically used to remove the default underline applied by the browser?

- a. display: block;
- b. text-decoration: none; ✓
- c. font-style: normal;
- d. border: none;

The correct answer is: text-decoration: none;

Response history

| Step | Time | Action | State |
|------|-------------------|-------------------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:10:10 | Saved: text-decoration: none; | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 18

Correct

Mark 1.00 out of 1.00

11. A developer has created a table with the standard <thead>, <tbody>, and <tfoot> sections.

Now he want to apply a unique dark background and bold, white text to the footer. Which CSS selector is the most semantic and el target only the footer?

- a. table tr:last-child
- b. table tr:nth-child(n+1)
- c. tfoot D. td, th ✓

The correct answer is: tfoot D. td, th

Response history

| Step | Time | Action | State |
|------|-------------------|------------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:11:17 | Saved: tfoot D. td, th | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 19

Incorrect

Mark 0.00 out of 1.00

What does the CSS property "background-repeat: x-repeat;" do?

- a. Makes the background image repeat horizontally only
- b. Prevents the background image from repeating
- c. Makes the background image repeat twice ✗
- d. Makes the background image repeat vertically only

The correct answer is: Makes the background image repeat horizontally only

Response history

| Step | Time | Action | State |
|------|-------------------|--|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:12:02 | Saved: Makes the background image repeat twice | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Incorrect |

Question 20

Correct

Mark 1.00 out of 1.00

Which image format supports transparency and is best for logos?

- a. PNG ✓
- b. JPEG
- c. BMP
- d. GIF

The correct answer is: PNG

Response history

| Step | Time | Action | State |
|------|-------------------|------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:12:22 | Saved: PNG | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 21

Correct

Mark 1.00 out of 1.00

What CSS value for border-radius creates a circular image?

- a. circle
- b. 50% ✓
- c. 25%
- d. 100%

The correct answer is: 50%

Response history

| Step | Time | Action | State |
|------|-------------------|------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:12:45 | Saved: 50% | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 22

Incorrect

Mark 0.00 out of 1.00

Which tag would you use to display the text "H₂O" ?

- a. H²O ❌
- b. H<down>2</down>O
- c. H<small>2</small>O
- d. H₂O

The correct answer is: H₂O

Response history

| Step | Time | Action | State |
|------|-------------------|-----------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:16:47 | Saved: H²O | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Incorrect |

Question 23

Correct

Mark 1.00 out of 1.00

What critical detail must always be included in the href value for an External Link to function correctly and adhere to best practices?

- a. The target="_blank" attribute.
- b. The file path must be relative to the current file.
- c. The full URL including the protocol (e.g., https://). ✅
- d. A descriptive title attribute.

The correct answer is: The full URL including the protocol (e.g., https://).

Response history

| Step | Time | Action | State |
|------|-------------------|--|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:13:54 | Saved: The full URL including the protocol (e.g., https://). | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 24

Correct

Mark 1.00 out of 1.00

3. Which CSS rule applies a color only to elements with the class "highlight"?

- a. highlight { color: blue; }
- b. .highlight { color: blue; } ✓
- c. *highlight { color: blue; }
- d. #highlight { color: blue; }

The correct answer is: .highlight { color: blue; }

Response history

| Step | Time | Action | State |
|------|-------------------|------------------------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:14:11 | Saved: .highlight { color: blue; } | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Question 25

Correct

Mark 1.00 out of 1.00

What does the CSS list-style-type property control?

- a. The bullet or numbering style ✓
- b. The background color of the page
- c. The image file size
- d. The width of the list

The correct answer is: The bullet or numbering style

Response history

| Step | Time | Action | State |
|------|-------------------|--------------------------------------|------------------|
| 1 | 4/12/25, 08:01:40 | Started | Not yet answered |
| 2 | 4/12/25, 08:14:29 | Saved: The bullet or numbering style | Answer saved |
| 3 | 4/12/25, 08:21:27 | Attempt finished | Correct |

Jump to...

midexam - part2 ▶